Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	(WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:51
L3	1	(WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented") and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:52
L4	1	(WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:52

| L5 | 1 | (WPAN or "wireless personal area network") and ("frequency hopping" NEAR adaptive) and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/13 16:52 |
| L6 | 1 | (WPAN or "wireless personal area network") and ("frequency hopping" NEAR adaptive) and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented") and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/02/13 16:53 |

L7	24031	((370/337) or (370/321) or (370/347) or (370/442) or (370/465) or (370/464) or (370/29) or (370/95.1) or (370/95.3) or (370/100.1) or (370/441) or (370/277) or (370/280) or (370/310) or (370/310.2) or (370/314) or (370/326) or (370/328) or (370/332) or (370/333) or (370/376) or (370/395.6) or (370/437) or (370/443) or (370/458) or (370/335) or (370/503) or (370/350) or (370/1) or (455/34.1) or (455/56.1) or (455/75-76) or (455/88) or (455/361) or (455/76) or (379/61) or (379/58) or (379/62) or (340/825.2) or (340/825.14) or (375/133) or (375/130) or (375/132) or (375/138) or (375/272) or (375/303) or (375/334) or (375/202) or (375/203) or (375/205) or (375/1) or (375/354) or (375/362) or (375/364) or (375/132-137)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:50
L8	1	L7 and (WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:50

L9	1	L7 and (WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented") and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:50
L10	1	L7 and (WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:50
L11	1	L7 and (WPAN or "wireless personal area network") and ("frequency hopping" NEAR adaptive) and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:51

L12	1	L7 and (WPAN or "wireless personal area network") and ("frequency hopping" NEAR adaptive) and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented") and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:51
L13	1	((WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3")).CLM.	US-PGPUB	OR	OFF	2006/02/13 16:52
L14	1	((WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented") and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3")).CLM.	US-PGPUB	OR	OFF	2006/02/13 16:52

L15	1	((WPAN or "wireless personal area network") and "frequency hopping" and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying mcdulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented")).CLM.	US-PGPUB	OR	OFF	2006/02/13 16:52
L16	1	((WPAN or "wireless personal area network") and ("frequency hopping" NEAR adaptive) and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and "link controller" and "packet handler" and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented")).CLM.	US-PGPUB	OR	OFF	2006/02/13 16:52
L17	1	((WPAN or "wireless personal area network") and ("frequency hopping" NEAR adaptive) and (table or "frequency table") and (transceiver or "frequency hopping transceiver") and (ACL or "asynchronous connectionless") and (SCO or "synchronous connection oriented") and (GFSK or "gaussian frequency shift keying modulat$3") and "mode selector" and (synthesizer or "frequency synthesizer") and "multiplier" and (RSSI or "RSSI detector") and (GFSK or "gaussian frequency shift keying demodulat$3")).CLM.	US-PGPUB	OR	OFF	2006/02/13 16:53

Welcome United States Patent and Trademark Office

Search Session History   BROWSE   SEARCH   IEEE XPLORE GUIDE

Mon, 13 Feb 2006, 2:49:40 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Run Search   Reset

Recent Search Queries

#1   (wireless personal area network adaptive frequency
      hopping<IN>metadata)

#2   (wireless personal area network frequency
      hopping<in>metadata)

#3   (wireless personal area network and adaptive and frequency
      and hopping<in>metadata)

#4   (wireless personal area network and adaptive and frequency
      and hopping<in>metadata)

#5   (wireless personal area network and adaptive and frequency
      and hopping<in>metadata)

#6   (wireless personal area network and adaptive and frequency
      and hopping<in>metadata)

Clear Session History

IEEE Xplore

Welcome United States Patent and Trademark Office

:: **Search Results**   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for **"(wireless personal area network and adaptive and frequency and hopping<in>metadata)"**
Your search matched 26 of 1318251 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(wireless personal area network and adaptive and frequency and hopping<in>metada   [Search]

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

↓ view selected items   Select All Deselect All

☐   1. **Coexistence mechanism based on adaptive frequency hopping for interfe**
WPAN applications
Cheol-Hee Park; Min-ChulJu; Jang-Yeon Lee; Sung-Jin Kong; Jin-Woong Cho
You;
Signal Processing and Its Applications, 2003. Proceedings. Seventh Internatio
on
Volume 1, 1-4 July 2003 Page(s):269 - 272 vol.1
Digital Object Identifier 10.1109/ISSPA.2003.1224692

AbstractPlus | Full Text: PDF(328 KB)   **IEEE CNF**
Rights and Permissions

☐   2. **A novel architecture and coexistence method to provide global access to**
WPANs by IEEE 802.11 WLANs
Cordeiro, C.D.M.; Abhyankar, S.; Toshiwal, R., Agrawal, D.P.;
Performance, Computing, and Communications Conference, 2003. Conferenc
the 2003 IEEE International
9-11 April 2003 Page(s):23 - 30

AbstractPlus | Full Text: PDF(906 KB)   **IEEE CNF**
Rights and Permissions

☐   3. **Performance studies of an over-sampling multi-channel equalizer for a m**
system
Xiaoming Peng; Chin, F.; Madhukumar, A.S.;
Ultra Wideband Systems and Technologies, 2003 IEEE Conference on
16-19 Nov. 2003 Page(s):413 - 417
Digital Object Identifier 10.1109/UWBST.2003.1267875

AbstractPlus | Full Text: PDF(412 KB)   **IEEE CNF**
Rights and Permissions

☐   4. **Adaptive timing synchronization schemes for a short-ranged Bluetooth s**
Young-Hwan You; Min-Chul Ju; Jong-Ho Paik; Jin-Woong Cho; Hyoung-Kyu S
Consumer Electronics, IEEE Transactions on
Volume 46, Issue 3, Aug. 2000 Page(s):690 - 696
Digital Object Identifier 10.1109/30.883432

AbstractPlus | Full Text: PDF(472 KB)   **IEEE JNL**
Rights and Permissions

5. MaCC: supporting network formation and routing in wireless personal are

☐ Takizawa, M.; Aida, H.; Saito, M.; Tobe, Y.; Tokuda, H..
Advanced Information Networking and Applications, 2004. AINA 2004. 18th Int
Conference on
Volume 1, 2004 Page(s):90 - 95 Vol.1
Digital Object Identifier 10.1109/AINA.2004.1283893

AbstractPlus | Full Text: PDF(307 KB)   IEEE CNF
Rights and Permissions

☐ 6. **Equivalent system model and equalization of differential impulse radio UI**
Witrisal, K.; Leus, G.; Pausini, M.; Krall, C.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 9, Sept. 2005 Page(s):1851 - 1862
Digital Object Identifier 10.1109/JSAC.2005.853876

AbstractPlus | Full Text: PDF(704 KB)   IEEE JNL
Rights and Permissions

☐ 7. **Bluetooth and WLAN coexistence: challenges and solutions**
Golmie, N.; Chevrollier, N.; Rebala, O..
Wireless Communications, IEEE [see also IEEE Personal Communications]
Volume 10, Issue 6, Dec. 2003 Page(s):22 - 29
Digital Object Identifier 10.1109/MWC.2003.1265849

AbstractPlus | References | Full Text: PDF(639 KB)   IEEE JNL
Rights and Permissions

☐ 8. **Coexistence mechanisms for interference mitigation in the 2.4-GHz ISM b**
Chiasserini, C.F.; Rao, R.R.
Wireless Communications, IEEE Transactions on
Volume 2, Issue 5, Sept. 2003 Page(s):964 - 975
Digital Object Identifier 10.1109/TWC.2003.817417

AbstractPlus | References | Full Text: PDF(547 KB)   IEEE JNL
Rights and Permissions

☐ 9. **Bluetooth and IEEE 802.11b coexistence: analytical performance evaluati channels**
Conti, A.; Dardari, D.; Pasolini, G.; Andrisano, O.;
Selected Areas in Communications, IEEE Journal on
Volume 21, Issue 2, Feb. 2003 Page(s):259 - 269
Digital Object Identifier 10.1109/JSAC.2002.807345

AbstractPlus | References | Full Text: PDF(1092 KB)   IEEE JNL
Rights and Permissions

☐ 10. **Hop-by-hop toward future mobile broadband IP**
Mahonen, P.; Riihijarvi, J.; Petrova, M.; Shelby. Z.;
Communications Magazine, IEEE
Volume 42, Issue 3, Mar 2004 Page(s):138 - 146
Digital Object Identifier 10.1109/MCOM.2004.1273785

AbstractPlus | Full Text: PDF(263 KB)   IEEE JNL
Rights and Permissions

☐ 11. **Maximum throughput of FHSS multiple-access networks using MFSK mo**
Kwonhue Choi; Kyungwhoon Cheun;
Communications, IEEE Transactions on
Volume 52, Issue 3, March 2004 Page(s):426 - 434
Digital Object Identifier 10.1109/TCOMM.2004.823616

AbstractPlus | References | Full Text: PDF(440 KB)   IEEE JNL
Rights and Permissions

☐ 12. **Partial Delaunay triangulation and degree limited localized Bluetooth sca formation**

Li, X.-Y.; Stojmenovic, I.; Wang, Y.;
Parallel and Distributed Systems, IEEE Transactions on
Volume 15, Issue 4, April 2004 Page(s):350 - 361
Digital Object Identifier 10.1109/TPDS.2004.1271184

AbstractPlus | References | Full Text: PDF(1121 KB)   IEEE JNL
Rights and Permissions

13. **Performance analysis of relative location estimation for multihop wireles
networks**
Qicai Shi; Kyperountas, S.; Correal, N S., Feng Niu;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 4, April 2005 Page(s):830 - 838
Digital Object Identifier 10.1109/JSAC.2005.843560

AbstractPlus | References | Full Text: PDF(504 KB)   IEEE JNL
Rights and Permissions

14. **Distributed topology construction of Bluetooth wireless personal area ne**
Salonidis, T.; Bhagwat, P.; Tassiulas, L.; LaMaire, R.;
Selected Areas in Communications, IEEE Journal on
Volume 23, Issue 3, March 2005 Page(s):633 - 643
Digital Object Identifier 10.1109/JSAC.2004.842567

AbstractPlus | References | Full Text: PDF(464 KB)   IEEE JNL
Rights and Permissions

15. **An Adaptive Rake Receiver For Time Hopping Impulse Radio Ultra-Widel
Communications**
Yiman Zhu; Ning Xie;
Communications, 2005 Asia-Pacific Conference on
03-05 Oct. 2005 Page(s):371 - 375

AbstractPlus | Full Text: PDF(312 KB)   IEEE CNF
Rights and Permissions

16. **Power Efficient Error Control for Bluetooth-based Sensor Networks**
Kleinschmidt, J.H.; Borelli, W.C.; Pellenz, M.E.;
Local Computer Networks, 2005. 30th Anniversary. The IEEE Conference on
15-17 Nov. 2005 Page(s):284 - 293
Digital Object Identifier 10.1109/LCN.2005.108

AbstractPlus | Full Text: PDF(248 KB)   IEEE CNF
Rights and Permissions

17. **Self-organizing, self-healing wireless networks**
Elliott, C.; Heile, B.;
Aerospace Conference Proceedings, 2000 IEEE
Volume 1, 18-25 March 2000 Page(s):149 - 156 vol.1
Digital Object Identifier 10.1109/AERO.2000.879383

AbstractPlus | Full Text: PDF(904 KB)   IEEE CNF
Rights and Permissions

18. **Image transmission over IEEE 802.15.4 and ZigBee networks**
Pekhteryev, G.; Sahinoglu, Z.; Orlik, P.; Bhatti, G.;
Circuits and Systems, 2005. ISCAS 2005. IEEE International Symposium on
23-26 May 2005 Page(s):3539 - 3542 Vol. 4
Digital Object Identifier 10.1109/ISCAS.2005.1465393

AbstractPlus | Full Text: PDF(216 KB)   IEEE CNF
Rights and Permissions

19. **Multiuser zero forcing relaying with noisy channel state information [wire
network applications]**
Wittneben, A.; Hammerstrom, I.;

Wireless Communications and Networking Conference, 2005 IEEE
Volume 2, 13-17 March 2005 Page(s):1018 - 1023 Vol. 2
Digital Object Identifier 10.1109/WCNC.2005.1424648

AbstractPlus | Full Text: PDF(1937 KB)   **IEEE CNF**
Rights and Permissions

20. **Energy and latency control in low duty cycle MAC protocols**
Yuan Li; Wei Ye; Heidemann, J.;
Wireless Communications and Networking Conference, 2005 IEEE
Volume 2, 13-17 March 2005 Page(s):676 - 682 Vol. 2
Digital Object Identifier 10.1109/WCNC.2005.1424589

AbstractPlus | Full Text: PDF(1814 KB)   **IEEE CNF**
Rights and Permissions

21. **On the route discovery latency of wireless mesh networks**
Chunhui Zhu; Lee, M.J.; Saadawi, T.;
Consumer Communications and Networking Conference, 2005. CCNC 2005. ‹
3-6 Jan. 2005 Page(s):19 - 23
Digital Object Identifier 10.1109/CCNC.2005.1405137

AbstractPlus | Full Text: PDF(611 KB)   **IEEE CNF**
Rights and Permissions

22. **On adaptive frequency hopping to combat coexistence interference betw
and IEEE 802.11b with practical resource constraints**
Cho-Hoi Chek, M.; Yu-Kwong Kwok;
Parallel Architectures, Algorithms and Networks, 2004. Proceedings. 7th Interr
Symposium on
10-12 May 2004 Page(s):391 - 396
Digital Object Identifier 10.1109/ISPAN.2004.1300511

AbstractPlus | Full Text: PDF(1393 KB)   **IEEE CNF**
Rights and Permissions

23. **Performance of coherent UWB Rake receivers with channel estimators**
Mielczarek, B.; Wessman, M.O.; Svensson, A.;
Vehicular Technology Conference, 2003. VTC 2003-Fall. 2003 IEEE 58th
Volume 3, 6-9 Oct. 2003 Page(s):1880 - 1884 Vol.3
Digital Object Identifier 10.1109/VETECF.2003.1285351

AbstractPlus | Full Text: PDF(258 KB)   **IEEE CNF**
Rights and Permissions

24. **A locally coordinated scatternet scheduling algorithm**
Tan, G.; Guttag, J.;
Local Computer Networks, 2002. Proceedings. LCN 2002. 27th Annual IEEE (
6-8 Nov. 2002 Page(s):293 - 303

AbstractPlus | Full Text: PDF(400 KB)   **IEEE CNF**
Rights and Permissions

25. **Rejection of Bluetooth interference in 802.11 WLANs**
Soltanian, A.; Van Dyck, R.E.; Rebala, O.;
Vehicular Technology Conference, 2002. Proceedings. VTC 2002-Fall. 2002 II
Volume 2, 24-28 Sept. 2002 Page(s):932 - 936 vol.2
Digital Object Identifier 10.1109/VETECF.2002.1040737

AbstractPlus | Full Text: PDF(286 KB)   **IEEE CNF**
Rights and Permissions

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = YOU
First Name = YOUNG-HWAN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09728141	6862261	150	12/01/2000	ZIPPER TYPE VDSL SYSTEM	YOU, YOUNG-HWAN
10083119	Not Issued	30	02/27/2002	Adaptive frequency hopping apparatus in wireless personal area network system	YOU, YOUNG-HWAN

Inventor Search Completed: No Records to Display.

	Last Name	First Name	
Search Another: Inventor	You	young-hwan	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page